



ITT

BCPBERS R1

Wastewater

CentriPro BASE ELBOW RAIL SYSTEMS



FEATURES

- Ductile Iron Construction.
- Powder coated for Corrosion Resistance.
- Compact design for greater space availability in the basin.
- Designed for simple installation and removal on most pumps.
- Innovative design allows for pump service without the need to disconnect plumbing or physically enter the basin.
- Units include a SS chain kit – see descriptions.
- Base units accept different size guide pipes (not supplied).
- Optional non-sparking bronze guide plate available for 3" and 4" flanged discharge models with HB suffix.
- Upper guide bracket included in all packages.
- Intermediate guide brackets available as an option.



CentriPro is a brand of ITT Corporation.

www.centripro.com

Engineered for life




ITT

CENTRIPRO Wastewater

CONERY BASE ELBOW RAIL SYSTEM






CentriPro Order #	Connections	Pictures	Description	Wt. (lbs.)	Use With	Max. Pump Wt. (lbs.)
CBE1220	1 1/4" x 2"		1.25" Base Elbow Rail System Kit: <ul style="list-style-type: none"> • (1) Ductile Iron Base Elbow (2" Female NPT Discharge) • (1) Ductile Iron Pull-out Flange • (1) SS Pump Adapter Flange and Mounting Hardware (1.25" Male NPT Inlet) • (1) SS Lower Guide Plate Bracket and Mounting Hardware (Attached) • (2) BUNA-N O-rings • (1) SS Upper Guide Rail Bracket (UGB-STNLS) • (1) SS 3/16" Lifting Chain (7') • (1) SS 3/16" Lifting Chain (3') • (3) SS 1/4" SPA Shackles • (1) SS 1/4" Quick Link • (1) SS 5/16" Lifting Eyebolt 	51	Grinder or effluent pumps with 1 1/4" discharge	200
CBE1520	1 1/2" x 2"		1.5" Base Elbow Rail System Kit: <ul style="list-style-type: none"> • (1) Ductile Iron Base Elbow (2" Female NPT Discharge) • (1) Ductile Iron Pull-out Flange • (1) SS Pump Adapter Flange and Mounting Hardware (1.50" Male NPT Inlet) • (1) SS Lower Guide Plate Bracket and Mounting Hardware (Attached) • (2) BUNA-N O-rings • (1) SS Upper Guide Rail Bracket (UGB-STNLS) • (1) SS 3/16" Lifting Chain (7') • (1) SS 3/16" Lifting Chain (3') • (3) SS 1/4" SPA Shackles • (1) SS 1/4" Quick Link • (1) SS 3/16" Lifting Eyebolt 	51	Sump and effluent pumps with 1 1/2" discharge and stainless steel sewage pumps with 1 1/2" discharge for 1 3/8" solids	200
CBE2020	2" x 2"		2.0" Base Elbow Rail System Kit: <ul style="list-style-type: none"> • (1) Ductile Iron Base Elbow (2" Female NPT Discharge) • (1) Ductile Iron Pull-out Flange • (1) SS Pump Adapter Flange and Mounting Hardware (2.00" Male NPT Inlet) • (1) SS Lower Guide Plate Bracket and Mounting Hardware (Attached) • (2) BUNA-N O-rings • (1) SS Upper Guide Rail Bracket (UGB-STNLS) • (1) SS 3/16" Lifting Chain (7') • (1) SS 3/16" Lifting Chain (3') • (3) SS 1/4" SPA Shackles • (1) SS 1/4" Quick Link • (1) SS 5/16" Lifting Eyebolt 	55	Sewage or effluent pumps with 2" discharge	200
CBE3030	3" x 3"		3.0" Vertical Base Elbow Rail System Kit: <ul style="list-style-type: none"> • (1) Ductile Iron Base Elbow (3" Female NPT Discharge) • (1) Ductile Iron Pull-out Flange (3" - 125# - ANSI Flange) • (1) SS Pump Adapter Flange and Mounting Hardware (3.00" Male NPT Inlet) • (1) SS Lower Guide Plate Bracket and Mounting Hardware (Attached) • (2) BUNA-N O-rings • (1) SS Upper Guide Rail Bracket (UGB-STNLS) • (1) SS 3/16" Lifting Chain (7') • (1) SS 3/16" Lifting Chain (3') • (3) SS 1/4" SPA Shackles • (1) SS 1/4" Quick Link • (1) SS 3/8" Lifting Eyebolt 	76	2" Solids handling sewage pumps and 3" NPT threaded vertical discharge (pumps equipped with A1-3, 3" flange)	400



ITT

CENTRIPRO Wastewater

CONERY BASE ELBOW RAIL SYSTEM




CentriPro Order #	Connections	Pictures	Description	Wt. (lbs.)	Use With	Max. Pump Wt. (lbs.)
CBE2020CP	2" x 2"		2.0" Base Elbow Rail System Kit: <ul style="list-style-type: none"> (1) Ductile Iron Base Elbow (2" Female NPT Discharge) (1) Ductile Iron Pull-out Flange (1) SS Pump Adapter Flange and Mounting Hardware (2.00" Male NPT Inlet) (1) SS Lower Guide Plate Bracket and Mounting Hardware (Attached) (2) BUNA-N O-rings (1) SS Upper Guide Rail Bracket (UGB-STNLS) (1) SS 3/16" Lifting Chain (7') (1) SS 3/16" Lifting Chain (3') (3) SS 1/4" SPA Shackles (1) SS 1/4" Quick Link (1) SS 5/16" Lifting Eyebolt 	76	2" Solids handling sewage pumps and 2" NPT threaded vertical discharge	200
CBE3030H	3" x 3"		3.0" Horizontal Base Elbow Rail System Kit: <ul style="list-style-type: none"> (1) Ductile Iron Base Elbow (3" Female NPT Discharge) (1) Ductile Iron Pull-out Flange (3" - 125# - ANSI Flange) (1) SS Lower Guide Plate Bracket and Mounting Hardware (Attached) (1) BUNA-N O-ring (1) SS Upper Guide Rail Bracket (UGB-STNLS) (1) SS 3/16" Lifting Chain (7') (1) SS 3/16" Lifting Chain (3') (3) SS 1/4" SPA Shackles (1) SS 1/4" Quick Link (1) SS 3/8" Lifting Eyebolt 	66	2 1/2" Solids handling pumps with 3" 125# ANSI flanged discharge.	400
CBE3030HB	3" Flange x 3" NPT		3.0" Horizontal Base Elbow Rail System Kit: <ul style="list-style-type: none"> (1) Ductile Iron Base Elbow (3" Female NPT Discharge) (1) Ductile Bronze Pull-out Flange (3" - 125# - ANSI Flange) (1) Bronze Lower Guide Plate Bracket and Mounting Hardware (Attached) (1) BUNA-N O-ring (1) SS Upper Guide Rail Bracket (UGB-STNLS) (1) SS 3/16" Lifting Chain (7') (1) SS 3/16" Lifting Chain (3') (3) SS 1/4" SPA Shackles (1) SS 1/4" Quick Link (1) SS 3/8" Lifting Eyebolt 	68	2 1/2" Solids handling pumps with 3" 125# ANSI flanged discharge.	400
CBE4040H	4" Flange x 4" NPT		4.0" Base Elbow Rail System Kit: <ul style="list-style-type: none"> (1) Ductile Cast Iron Base Elbow (1) Ductile Cast Iron Pull-out Flange (4" - 150# - ANSI Flange) (1) SS Break-Away Ring (Attached) (1) SS Upper Guide Rail Bracket (UGB-STNLS) (1) SS 1/4" Lifting Chain (17') (1) SS 1/4" Lifting Chain (3') (3) SS 5/16" SPA Shackles (1) SS 3/16" Quick Link 	157	3" Solids handling pumps with 4" 125# ANSI flanged discharge.	1,000
CBE4040HB	4" Flange x 4" NPT		4.0" Base Elbow Rail System Kit: <ul style="list-style-type: none"> (1) Ductile Cast Iron Base Elbow (1) Bronze and Ductile Cast Iron Pull-out Flange (4" - 150# - ANSI Flange) (1) SS Break-Away Ring (Attached) (1) SS Upper Guide Rail Bracket (UGB-0200) (1) SS 1/4" Lifting Chain (17') (1) SS 1/4" Lifting Chain (3') (3) SS 5/16" SPA Shackles (1) SS 3/16" Quick Link 	163	3" Solids handling pumps with 4" 125# ANSI flanged discharge.	1,000



ITT

Wastewater

CONERY BASE ELBOW RAIL SYSTEM

CentriPro Order #	Vendor Part #	Pictures	Description
CBR075	IGB075		SS Intermediate guide bracket – use with ¾" pipe
CBR100	IGB100		SS Intermediate guide bracket – use with 1" pipe
CBR125	IGB0125		SS Intermediate Guide Bracket – use with 1¼" pipe
CPA12	PAF125		SS Pump adapter – for pumps with 1¼" NPT discharge
CPA15	PAF150		SS Pump adapter – for pumps with 1½" NPT discharge
CPA20	PAF200		SS Pump adapter – for pumps with 2" NPT discharge
CPA30	PAF300		SS Pump adapter – for pumps with 3" NPT discharge
CUGB-S			SS Upper Guide Rail Bracket: For use with ¾", 1" and 1¼" Guide Rails (stainless steel recommended)
CUGB-G			Galvanized Steel Upper Guide Rail Bracket: For use with ¾", 1" and 1¼" Guide Rails (stainless steel recommended)



SHACKLE



QUICK LINK



CentriPro and the ITT Engineered Blocks Symbol are registered trademarks and tradenames of ITT Corporation

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

BCPBERS R1 March, 2009
Copyright (c) 2009 ITT Corporation

Engineered for life